



DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under
Approved By: FDA Haryana Ayush Haryana: An ISO 9001 : 2015 & GLP Certified Lab.
 Address: Ind. Area, Phase-I, Phanchkula, Haryana.
 Mob: +91 9538239428, email id: dnlabpk@gmail.com, manisha256@gmail.com

Certificate of Analysis

Form-47, 160 (A) Report of test or Analysis by Approved Institution

Sample Name	Aumeto Citrus Bergamot Capsules			Received Date	16-08-2025
Customer Information	AUMETO, 201T ACADEMY ST, GREENVILLE, SC 29601			Ref. No.	NIL
Supplied By	NS			Report No.	DNL/715/25-26/398R/L
Batch Size	NS	LOT No.	AT-XXVT8N21	Sample Qty.	90 Capsules
Mfg. Date	08-2025	Exp. Date	16-08-2028	Fssai. Lic. No.	10822999000390
Date of Analysis	17-08-2025	Date of Completion	23-08-2025	Protocol ID	IHS

RESULT OF ANALYSIS

Description	Brown powder filled in transparent hard gelatin capsule			
Average Fill weight	: 500 mg			
Disintegration Time	: 10-11 min (NMT – 25 min)			
Assay	: Each Serving Capsule (on an average fill) contains: -			
Composition	Claim	Observed	Method	
Vitamin C (As Ascorbic Acid)	20 mg	20.15 mg	HPLC	
Vitamin D3 (as Cholecalciferol)	125 mcg	125.10 mcg	HPLC	
Citrus Bergamot (Citrus Bergamia, fruit peel)	300 mg	300.22 mg	HPLC	
Artichoke (Cynara Scolymus, leaf)	50 mg	49.90 mg	HPLC	
Red Yeast Rice (Monascus Purpureus, fermented rice)	50 mg	50.00 mg	HPLC	
Coenzyme Q-10, (Ubiquinone)	20 mg	19.95 mg	HPLC	
Turmeric Root (Curcuma Longa, root)	20 mg	20.10 mg	HPLC	
Odourless Garlic (Allium Sativum, bulb)	20 mg	19.90 mg		
Black Pepper (Piper Nigrum, fruit)	20 mg	20.00 mg	HPLC	
Identification	Conform	Complies	IR Spectrum	
Characteristics	Brown Powder	Complies	Organoleptic	
Odor & Taste	Characteristics	Conform	Organoleptic	
Solubility	Soluble in Water	Complies	Turbidity Meter	
Assay	NLT 99 %	99.78 %	UV	
Refractive Index	1.458-1.470 at 20°C	1.462	Refractometer	
Specific Gravity	0.862-0.890 at 20°C	0.875	Densimeter	
Particle Size	98% pass 80 mesh	Conforms	CP 2015	
Loss on drying	NMT 5%	3.62%	USP37<921>	
Residue of Solvents	NMT 10ppm	Conform	GC-USP<467>	
Residue on Ignition	NMT 5%	3.12%	USP37<561>	
pH 5 % in water	2.2-2.5 at 25°C	2.55	USP <791>	
Ash Content	NMT 8%	4.55 %	USP<561>	
Bulk Density	40-60g/100mL	51g/100mL	Eur. Ph.<2.9.34>	
Tapped Density	50-70 g/100mL	56g/100mL	Eur. Ph.<2.9.34>	
Heavy Metals:				
Total Heavy Metals	10 ppm Max	Conforms	AAS/ICP MS	
Lead	NMT - 2 ppm	0.38 ppm	AAS/ICP MS	
Arsenic	NMT - 2 ppm	0.30 ppm	AAS/ICP MS	
Cadmium	NMT - 0.5 ppm	0.1 ppm	AAS/ICP MS	
Mercury	NMT - 0.5 ppm	0.02 ppm	AAS/ICP MS	
Microbial Examination:				
Total Aerobic Bacteria	NMT 1000 cfu/gm	100 cfu/g	GB4789.2	
Yeast & Mould	NMT 100 cfu/g Max	10 cfu/g	GB4789.15	
E. Coli	Absent/g	Absent	GB4789.4	
Salmonella	Absent/g	Absent	GB4789.10	
Staphylococcus Aureus	Absent/g	Absent	GB4789.4	
Pseudomonas Aeruginosa	Absent/g	Absent	GB4789.38	

23-08-2025

Date of Completion

Signature of Person-in- charge of testing



DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under
Approved By: FDA Haryana Ayush Haryana: An ISO 9001 : 2015 & GLP Certified Lab.
 Address: Ind. Area, Phase-I, Phanchkula, Haryana.
 Mob: +91 9538239428, email id: dnlabpk@gmail.com, manisha256@gmail.com

Sample Name	Aumeto Citrus Bergamot Capsules			Received Date	16-08-2025
Customer Information	AUMETO, 201T ACADEMY ST, GREENVILLE, SC 29601			Ref. No.	NIL
Supplied By	NS			Report No.	DNL/715/25-26/398R/L
Batch Size	NS	LOT No.	AT-XXVT8N21	Sample Qty.	90 Capsules
Mfg. Date	08-2025	Exp. Date	16-08-2028	Fssai. Lic. No.	10822999000390
Date of Analysis	17-08-2025	Date of Completion	23-08-2025	Protocol ID	IHS

OPINION : In the opinion of the undersigned the above sample is of standard quality as defined in the Act and Rules made there under for the reasons given below

The sample confirms to IP ☐ BP ☐ USP ☐ BIS ☐ ISO ☐ AYUR ☐ test specification with respect to above test only.

23-08-2025

Date of Completion

Signature of Person-in- charge of testing

Note :

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Samples (s) not drawn by us, unless otherwise stated.
3. Total liability of our analytical division is limited to the invoiced amount.
4. Sample will be destroyed after one month from date of issue of test certificate unless otherwise specified.
5. Results given in reports are released to sample tested.