



DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under
 Approved By: FDA Haryana Ayush Haryana: An ISO 9001 : 2015 & GLP Certified Lab.
 Address: Ind. Area, Phase-I, Phanchkula, Haryana.
 Mob: +91 9538239428, email id: dnlabpk@gmail.com, manisha256@gmail.com

Certificate of Analysis

Form-47, 160 (A) Report of test or Analysis by Approved Institution

Sample Name	Aumeto Lion's Mane Capsules		Received Date	18-08-2025
Customer Information	AUMETO, 201T ACADEMY ST, GREENVILLE, SC 29601		Ref. No.	NIL
Supplied By	NS		Report No.	DNL/448/25-26/369D/S
Batch Size	NS	LOT No.	AT-XXVT8N20	Sample Qty. 90 Capsules
Mfg. Date	08-2025	Exp. Date	18-08-2028	Fssai. Lic. No. 10822999000390
Date of Analysis	19-08-2025	Date of Completion	25-08-2025	Protocol ID IHS

RESULT OF ANALYSIS

Description	Brown powder filled in 0 sized transparent hard gelatin capsule		
Average Fill weight	: 550 mg		
Disintegration Time	: 10-11 min (NMT – 30 min)		
Assay	: Each Serving Two Capsule (on an average fill) contains: -		
Composition	Claim	Observed	Method
Lion's Mane Mushroom	400 mg	400.12 mg	HPLC
(Std. To 40 % Polysaccharides)			
Cordyceps Mushroom	200 mg	199.94 mg	HPLC
Reishi Mushroom	100 mg	100.03 mg	HPLC
Turkey Tail Mushroom	100 mg	99.97 mg	HPLC
Chaga Mushroom	100 mg	99.96 mg	HPLC
Shitake Mushroom, Maitake			
Mushroom, Porcini Mushroom, Enoki			
Mushroom, Oyster Mushroom,	200 mg	200.17 mg	HPLC
Matsutake Mushroom, King Trumpet			
Mushroom, Morel Mushroom, Coral			
Mushroom, Agarikon Mushroom, Poria			
Mushroom, Black Trumpet Mushroom			
Identification	Conform	Complies	IR Spectrum
Characteristics	Brown Powder	Complies	Organoleptic
Odor & Taste	Characteristics	Conform	Organoleptic
Solubility	Soluble in Water	Complies	Turbidity Meter
Assay			
Polysaccharides	NLT 20%	30.69%	Megazyme test kit K-YBGL
Beta-glucans	NLT 18%	27.31%	Megazyme test kit K-YBGL
Particle Size	95% pass 80 mesh	Conforms	USP<786>
Loss on drying	NMT 20%	4.65%	USP<731>
Ash Content	NMT 13 %	8.72 %	GB 5009.4
pH 5 % in water	5-9 at 25°C	6.2	USP <791>
Bulk Density	40-60g/100ml	51.7g/100ml	Bulk Density Apparatus
Moisture	MNT 7 %	5.24 %	GB 5009.3
Heavy Metals:			
Lead	NMT - 2 ppm	0.08 ppm	USP <231> ICP-MS
Arsenic	NMT - 2 ppm	0.12 ppm	USP <231> ICP-MS
Cadmium	NMT - 1 ppm	0.05 ppm	USP <231> ICP-MS
Mercury	NMT - 0.5 ppm	0.02 ppm	USP <231> ICP-MS
Microbial Examination:			
Total Plate Count	NMT 1000 cfu/g	Complies	GB4789.2
Yeast & Mould	NMT 100 cfu/g	10 cfu/g	GB4789.15
E. Coli	Absent/g	Absent	GB4789.3
Salmonella	Absent/g	Absent	GB4789.4
Staphylococcus Aureus	Absent/g	Absent	GB4789.10
Pseudomonas Aeruginosa	Absent/g	Absent	GB4789.2

25-08-2025

Date of Completion

Signature of Person-in- charge of testing



DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under
Approved By: FDA Haryana Ayush Haryana: An ISO 9001 : 2015 & GLP Certified Lab.
 Address: Ind. Area, Phase-I, Phanchkula, Haryana.
 Mob: +91 9538239428, email id: dnlabpk@a gmail.com, manisha256a@gmail.com

Certificate of Analysis

Sample Name	Aumeto Lion's Mane Capsules			Received Date	18-08-2025
Customer Information	AUMETO, 201T ACADEMY ST, GREENVILLE, SC 29601			Ref. No.	NIL
Supplied By	NS			Report No.	DNL/448/25-26/369D/S
Batch Size	NS	LOT No.	AT-XXVT8N20	Sample Qty.	90 Capsules
Mfg. Date	08-2025	Exp. Date	18-08-2028	Fssai. Lic. No.	10822999000390
Date of Analysis	19-08-2025	Date of Completion	25-08-2025	Protocol ID	IHS

OPINION : In the opinion of the undersigned the above sample is of standard quality is of standard quality as defined in the Act and Rules made there under for the reasons given below

The sample confirms to IP ☐ BP ☐ USP ☐ BIS ☐ ISO ☐ AYUR ☐ test specification with respect to above test only.

25-08-2025

Date of Completion

Signature of Person-in- charge of testing

Note :

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Samples (s) not drawn by us, unless otherwise stated.
3. Total liability of our analytical division is limited to the invoiced amount.
4. Sample will be destroyed after one month from date of issue of test certificate unless otherwise specified.
5. Results given in reports are released to sample tested.