



DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under
 Approved By: FDA Haryana Ayush Haryana: An ISO 9001 : 2015 & GLP Certified Lab.
 Address: Ind. Area, Phase-I, Phanchkula, Haryana.
 Mob: +91 9538239428, email id: dnlabpk@gmail.com, manisha256@gmail.com

Certificate of Analysis

Form-47, 160 (A) Report of test or Analysis by Approved Institution

Sample Name	Aumeto Testosterone Capsules			Received Date	17-08-2025
Customer Information	AUMETO, 201T ACADEMY ST, GREENVILLE, SC 29601			Ref. No.	NIL
Supplied By	NS			Report No.	DNL/837/25-26/316R/H
Batch Size	NS	LOT No.	AT-XXVT8N22	Sample Qty.	90 Capsules
Mfg. Date	08-2025	Exp. Date	17-08-2028	Fssai. Lic. No.	10822999000390
Date of Analysis	18-08-2025	Date of Completion	24-08-2025	Protocol ID	IHS

RESULT OF ANALYSIS

Description	Brown powder filled in transparent hard gelatin capsule		
Average Fill weight	: 600 mg		
Disintegration Time	: 10-11 min (NMT – 25 min)		
Assay	: Each Serving Two Capsule (on an average fill) contains: -		
Composition	Claim	Observed	Method
Horny Goat Weed (aerial plant)	700 mg	700.15 mg	HPLC
Tribulus Terrestris (fruit)	200 mg	200.11 mg	HPLC
L-Arginine	200 mg	199.90 mg	HPLC
Maca Root (root)	50 mg	49.88 mg	HPLC
Ashwagandha Powder (root)	20 mg	19.85 mg	HPLC
Tongkat Ali Powder (root)	20 mg	20.05 mg	HPLC
Vitamin D3 (as Cholecalciferol)	50 mcg	49.90 mcg	HPLC
Identification	Conform	Complies	IR Spectrum
Characteristics	Brown Powder	Complies	Organoleptic
Odor & Taste	Characteristics	Conform	Organoleptic
Solubility	Soluble in Water	Complies	Turbidity Meter
Icariin	NLT 40 % w/w	40.3 %	HPLC
Specific Gravity	1.015-1.045 at 20°C	1.023	Densimeter
Particle Size	90% pass 80 mesh	Conforms	CP 2015
Loss on drying	NMT 5%	3.17%	USP<731>
Residue on Ignition	NMT 1%	0.24%	USP<281>
Acid Insoluble Ash	NMT 2%	0.9% w/w	Muffle Furnace
Residue of Solvents	None	Conforms	NLS-QCS-1007
Residual Pesticides	NMT 5 ppm	1.29 ppm	Eur. Ph.<2.8.13>
pH 5 % in water	3-5 at 25°C	3.87	USP <791>
Ash Content	NMT 5%	3.75 %	USP<561>
Moisture	NMT 5 %	3.15 %	AOAC
Bulk Density	40-60g/100mL	42g/100mL	Eur. Ph.<2.9.34>
Tapped Density	60-90 g/100mL	65g/100mL	Eur. Ph.<2.9.34>
Heavy Metals:			
Total Heavy Metals	10 ppm Max	Conforms	AAS/ICP MS
Lead	NMT - 2 ppm	0.65 ppm	USP<231> ICP-MS
Arsenic	NMT - 2 ppm	0.51 ppm	USP<231> ICP-MS
Cadmium	NMT - 1 ppm	0.39 ppm	USP<231> ICP-MS
Mercury	NMT - 0.5 ppm	0.03 ppm	USP<231> ICP-MS
Microbial Examination:			
Total Aerobic Bacteria	NMT 1000 cfu/gm	100 cfu/g	USP<61>
Yeast & Mould	NMT 100 cfu/g Max	10 cfu/g	USP<61>
E. Coli	Absent/g	Absent	USP<61>
Salmonella	Absent/g	Absent	USP<61>
Staphylococcus Aureus	Absent/g	Absent	USP<61>
Pseudomonas Aeruginosa	Absent/g	Absent	USP<61>

24-08-2025

Date of Completion

Signature of Person-in-charge of testing



DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under

Approved By: FDA Haryana Ayush Haryana: An ISO 9001 : 2015 & GLP Certified Lab.

Address: Ind. Area, Phase-I, Phanechkula, Haryana.

Mob: +91 9538239428, email id: dnlabpk@gmail.com, manisha256@gmail.com

Sample Name	Aumeto Testosterone Capsules		Received Date	17-08-2025
Customer Information	AUMETO, 201T ACADEMY ST, GREENVILLE, SC 29601		Ref. No.	NIL
Supplied By	NS		Report No.	DNL/837/25-26/316R/H
Batch Size	NS	LOT No.	AT-XXVT8N22	Sample Qty. 90 Capsules
Mfg. Date	08-2025	Exp. Date	17-08-2028	Fssai. Lic. No. 10822999000390
Date of Analysis	18-08-2025	Date of Completion	24-08-2025	Protocol ID IHS

OPINION : In the opinion of the undersigned the above sample is of standard quality as defined in the Act and Rules made there under for the reasons given below

The sample confirms to IP ☐ BP ☐ USP ☐ BIS ☐ ISO ☐ AYUR ☐ test specification with respect to above test only.

24-08-2025

Date of Completion

Signature of Person-in- charge of testing

Note :

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. Samples (s) not drawn by us, unless otherwise stated.
3. Total liability of our analytical division is limited to the invoiced amount.
4. Sample will be destroyed after one month from date of issue of test certificate unless otherwise specified.
Results given in reports are released to sample tested.